

3500051 King GMP Multi-Use Mop for Cleanroom

**Individualization
on request!**



Product description

Reusable mop with IPA certification for sterile GMP areas.

- Removes 99.9% of all particles in a single-stage process
- Safe disinfection of GMP areas due to validatable wetting behavior
- Autoclavable up to 50 reprocessing cycles, resistant to disinfectants, resistant to gamma radiation
- Suitable for the EasyMop GMP pre-preparation method
- Minimal own particle release
- Very high quality, clean room suitable processing
- IPA "Tested Device" certification



ISO	3	4	5	6	7	8	9
GMP			A/B		C	D	

Product specifications

Article name Article number	King GMP 3500051
Dimensions Weight	40 x 12 193 g
Working material (colour)	100% polyester (white)
Backing material (colour)	100% polyester (white)
Edge material (colour)	100% polyester (white)
Pocket System Pocket System material (colour)	textile bag 100% polyester (white)
Outer loop material (colour)	100% polyester (white)
Chemical compatibility	Resistant to the usual cleaning agents and disinfectants on the market
Sterility	autoclavable
Re-use	50 cycles sterile processing
Care instructions	Please note the care and washing instructions in the downloads
Storage	The general storage conditions apply: Protect from harmful influences (liquids, sun or UV light, pollution, pressure) and store at recommended temperature 5-40°C.
Packing unit Selling unit	10 Pieces 1 PU
Quantity in carton	100 Pieces
Carton size Carton weight	57 x 48 x 28 cm 19300 g
Pallet	1200 x 800 x 220 cm
Packaging note	The size of the package, as well as the quantity in the box may vary depending on the order quantity and the volume of other ordered products.
Customs tariff number	63071090
Country of origin	Vietnam
EAN-Number	4065237020449
Compatible accessories	Our sales department will be happy to advise you on suitable accessories

Compatible methods Cleaning area

- MopScoop
- MopFloat
- EasyMop
- Flat wringer Ringo



Industry Sectors

Diese Klassifizierung ist eine unverbindliche Empfehlung. Der Anwender muss die individuelle Eignung und Verträglichkeit für seinen individuellen Anwendungsbereich prüfen. Der Zustand des Materials ist regelmäßig zu überprüfen, beschädigte Produkte sind umgehend auszutauschen. Alle Angaben ohne Gewähr. Änderungen und Abweichungen vorbehalten.

